


SWIVELS

RICHARDS Model No. 7 SWIVEL

The Model No. 7 Ball Swivel enhances free movement of the nozzle, which means it is easier to hang than a nozzle without a swivel. This patented ball swivel also significantly reduces hose wear and twisting.

Features and Benefits

- ◆ **Side swivel capability** - makes this swivel the ideal choice when used in conjunction with a retractor.
- ◆ **Multiple approvals** - approved for use only at the nozzle by the California State Fire Marshall, meets CARB's multi-plane swivel requirements.
- ◆ **Design Working Pressure** - OPW's products are designed to work at 50 PSI maximum pressure.
- ◆ **Listed by Underwriters Laboratories, Inc.** 






Materials

Nut: stainless steel
Body: aluminum
Seals: Buna-N

Ordering Specifications

Product #	Size	lbs.	kg.
6007-7575	3/4" M x 3/4" F (NPT) 19 mm. x 19 mm.	.5	.23
6007-7510	3/4" M x 1" F 19 mm. x 25 mm.	.5	.23
6007-1010	1" M x 1" F 25 mm. x 25 mm.	.75	.34
6007-1075	1" M x 3/4" F 25 mm. x 19 mm.	.75	.34



Notice: Richards Industry Inc. products must be used in compliance with applicable federal, state, provincial, and local laws and regulations. Product selection should be based on physical specifications and limitations and compatibility with the environment and material to be handled. Richards Industry Inc. makes no warranty of fitness for a particular use. All illustrations and specifications in this literature are based on the latest production information available at the time of publication. Prices, materials, and specifications are subject to change at any time, and models may be discontinued at any time, in either case, without notice or obligation.